

Rolling Service Stock Carts



Model
RSC-2448-5-95



Model
RSC-2448-2-95



Model
RSC-2448-3-3K-TLD-95

2/3/4/5 Shelf Stock Carts (1,200 & 3,000 lbs. Capacity)

- 1-1/2" x 1/8" angle iron uprights for added strength
- Heavy duty 14 gauge steel shelves
- Sturdy tubular push handle
- Perfect for transporting heavier parts or stock items
- Ships fully assembled
- Durable, textured, gray powder coat finish

Model	Overall Dim: W*xDxDH (In.)	Shelves	Shelf Clearance (In.)	Ship Wt.
1,200 lbs. Capacity Models • 5" x 1-1/4" Polyurethane Casters				
RSC-1830-2-95	30 x 18 x 35	2	26-3/4	90 lbs.
RSC-1836-2-95	36 x 18 x 35	2	26-3/4	97 lbs.
RSC-2430-2-95	30 x 24 x 35	2	26-3/4	102 lbs.
RSC-2436-2-95	36 x 24 x 35	2	26-3/4	108 lbs.
RSC-2448-2-95	48 x 24 x 35	2	26-3/4	112 lbs.
RSC-3048-2-95	48 x 30 x 35	2	26-3/4	136 lbs.
RSC-3060-2-95	60 x 30 x 35	2	26-3/4	152 lbs.
RSC-1830-3-95	30 x 18 x 35	3	12-1/2	106 lbs.
RSC-1836-3-95	36 x 18 x 35	3	12-1/2	114 lbs.
RSC-1848-3-95	48 x 18 x 35	3	12-1/2	129 lbs.
RSC-2436-3-95	36 x 24 x 35	3	12-1/2	140 lbs.
RSC-2448-3-95	48 x 24 x 35	3	12-1/2	138 lbs.
RSC-3060-3-95	60 x 30 x 35	3	12-1/2	196 lbs.
RSC-1830-4-95	30 x 18 x 55-3/4	4	13-3/4	127 lbs.
RSC-1836-5-95	36 x 18 x 55-3/4	5	10	174 lbs.
RSC-2436-5-95	36 x 24 x 55-3/4	5	10	205 lbs.
RSC-2448-5-95	48 x 24 x 55-3/4	5	10	246 lbs.
RSC-3048-5-95	48 x 30 x 55-3/4	5	10	267 lbs.
RSC-3060-5-95	60 x 30 x 55-3/4	5	10	307 lbs.
RSC-3672-5-95	72 x 36 x 55-3/4	5	10	378 lbs.
3,000 lbs. Capacity Models • 6" x 2" Phenolic Casters				
RSC-2436-2-3K-TLD-95	36 x 24 x 39-1/4	2 (top lips down)	27	123 lbs.
RSC-2448-2-3K-TLD-95	48 x 24 x 39-1/4	2 (top lips down)	27	130 lbs.
RSC-2436-3-3K-TLD-95	36 x 24 x 39-1/4	3 (top lips down)	12-1/2	146 lbs.
RSC-2448-3-3K-TLD-95	48 x 24 x 39-1/4	3 (top lips down)	12-1/2	164 lbs.
RSC-3048-3-3K-TLD-95	48 x 30 x 39-1/4	3 (top lips down)	12-1/2	170 lbs.
RSC-3060-3-3K-TLD-95	60 x 30 x 39-1/4	3 (top lips down)	12-1/2	194 lbs.
RSC-2436-3-3K-95	36 x 24 x 39-1/4	3	12-1/2	154 lbs.
RSC-2448-3-3K-95	48 x 24 x 39-1/4	3	12-1/2	163 lbs.
RSC-3060-3-3K-95	60 x 30 x 39-1/4	3	12-1/2	194 lbs.
RSC-2436-4-3K-95	36 x 24 x 56	4	14	178 lbs.
RSC-2448-4-3K-95	48 x 24 x 56	4	14	204 lbs.
RSC-3060-4-3K-95	60 x 30 x 56	4	14	240 lbs.
RSC-2436-5-3K-95	36 x 24 x 56	5	10	199 lbs.
RSC-2448-5-3K-95	48 x 24 x 56	5	10	238 lbs.
RSC-3060-5-3K-95	60 x 30 x 56	5	10	320 lbs.

FOB TX

*Handle adds 6" to width

2 Shelf Stock Cart with Floor Lock (2,400 lbs. Capacity)



Model
RSC-2436-2-2.4K-ALU-FL-95

- 1-1/2" x 1/8" angle iron uprights for added strength
- Heavy duty 14 gauge steel shelves
- Sturdy tubular push handle
- Floor lock keeps unit securely in place
- Units have 1-1/2" lips
- Top surface has 1-1/2" lips
- 6 x 2" phenolic bolt-on casters; (2) swivel and (2) rigid
- Ships fully assembled
- Durable, textured, gray powder coat finish

Model	Overall Dim: W*xDxDH (In.)	Shelf Clearance (In.)	Ship Wt.
RSC-2436-2-2.4K-ALU-FL-95	36 x 24 x 39	26-3/4	132 lbs.
RSC-2448-2-2.4K-ALU-FL-95	48 x 24 x 39	26-3/4	151 lbs.
RSC-3048-2-2.4K-ALU-FL-95	48 x 30 x 39	26-3/4	164 lbs.
RSC-3060-2-2.4K-ALU-FL-95	60 x 30 x 39	26-3/4	186 lbs.

FOB TX

*Handle adds 6" to width

See page 2 for more

Phone: 860.349.3427 - Fax: 860.349.8235
www.durhammfg.com - info@durhammfg.com

Rolling Service Stock Carts

2 Shelf Stock Cart with Raised Handle (1,500 lbs. Capacity)

- 1-1/2" x 1/8" angle iron uprights for added strength
- Heavy duty 14 gauge steel shelves
- Sturdy, tubular, raised push handle
- Standard units have 1-1/2" lips. ALD units have all lips down
- 8" x 2-1/2" pneumatic bolt-on casters; (2) swivel and (2) rigid
- Ships fully assembled
- Durable, textured, gray powder coat finish



**Model
RSCR-2448-ALD-95**

Model	Overall Dim: WxLxH (In.)	Shelf Clearance (In.)	Ship Wt.
Raised Handle Stock Carts with Lips Up (Standard)			
RSCR-2436-95	36 x 24 x 43-3/4	26-3/4	127 lbs.
RSCR-2448-95	48 x 24 x 43-3/4	26-3/4	140 lbs.
RSCR-3048-95	48 x 30 x 43-3/4	26-3/4	153 lbs.
RSCR-3060-95	60 x 30 x 43-3/4	26-3/4	162 lbs.
Raised Handle Stock Carts with All Lips Down (ALD units)			
RSCR-2436-ALD-95	36 x 24 x 43-3/4	26-3/4	127 lbs.
RSCR-2448-ALD-95	48 x 24 x 43-3/4	26-3/4	140 lbs.
RSCR-3048-ALD-95	48 x 30 x 43-3/4	26-3/4	153 lbs.
RSCR-3060-ALD-95	60 x 60 x 43-3/4	26-3/4	162 lbs.

FOB TX

*Handle adds 6" to width

2 Shelf Stock Cart with Ergonomic Handle (1,200 or 3,600 lbs. Capacity)

- 1-1/2" x 1/8" angle iron uprights for added strength
- Heavy duty 14 gauge steel shelves
- Sturdy, tubular, Ergonomic handle - has 3 positions ensuring maximum comfort
- Standard units have 1-1/2" lips. ALD units have all lips down. TLD units have top lips down
- Casters; (2) swivel and (2) rigid
- Ships fully assembled
- Durable, textured, gray powder coat finish



**Model
RSCE-2448-2-3.6K-95**

Model	Overall Dim: WxLxH (In.)	Shelf Clearance (In.)	Shelf Lip	Ship Wt.
1,200 lbs. Capacity Models • 5" x 1-1/4" Polyurethane Casters (TLD = Top Lips Down)				
RSCE-1830-2-95	30 x 18 x 43-3/4	26-3/4	All lips up	94 lbs.
RSCE-1836-2-95	36 x 18 x 43-3/4	26-3/4	All lips up	100 lbs.
RSCE-2436-2-95	36 x 24 x 43-3/4	26-3/4	All lips up	111 lbs.
RSCE-2448-2-95	48 x 24 x 43-3/4	26-3/4	All lips up	115 lbs.
RSCE-3048-2-95	48 x 30 x 43-3/4	26-3/4	All lips up	139 lbs.
RSCE-3060-2-95	60 x 30 x 43-3/4	26-3/4	All lips up	155 lbs.
RSCE-1830-2-TLD-95	30 x 18 x 43-3/4	26-3/4	Top lip down	94 lbs.
RSCE-1836-2-TLD-95	36 x 18 x 43-3/4	26-3/4	Top lip down	100 lbs.
RSCE-2436-2-TLD-95	36 x 24 x 43-3/4	26-3/4	Top lip down	111 lbs.
RSCE-2448-2-TLD-95	48 x 24 x 43-3/4	26-3/4	Top lip down	115 lbs.
RSCE-3048-2-TLD-95	48 x 30 x 43-3/4	26-3/4	Top lip down	139 lbs.
RSCE-3060-2-TLD-95	60 x 30 x 43-3/4	26-3/4	Top lip down	155 lbs.
3,600 lbs. Capacity Models • 5" x 2" Phenolic Casters - TLD = Top Lips Down)				
RSCE-1830-2-3.6K-95	30 x 18 x 45	26-3/4	All lips up	109 lbs.
RSCE-1836-2-3.6K-95	36 x 18 x 45	26-3/4	All lips up	115 lbs.
RSCE-2436-2-3.6K-95	36 x 24 x 45	26-3/4	All lips up	126 lbs.
RSCE-2448-2-3.6K-95	48 x 24 x 45	26-3/4	All lips up	130 lbs.
RSCE-3048-2-3.6K-95	48 x 30 x 45	26-3/4	All lips up	154 lbs.
RSCE-3060-2-3.6K-95	60 x 30 x 45	26-3/4	All lips up	170 lbs.
RSCE-1830-2-3.6K-TLD-95	30 x 18 x 45	26-3/4	Top lip down	109 lbs.
RSCE-1836-2-3.6K-TLD-95	36 x 18 x 45	26-3/4	Top lip down	115 lbs.
RSCE-2436-2-3.6K-TLD-95	36 x 24 x 45	26-3/4	Top lip down	126 lbs.
RSCE-2448-2-3.6K-TLD-95	48 x 24 x 45	26-3/4	Top lip down	130 lbs.
RSCE-3048-2-3.6K-TLD-95	48 x 30 x 45	26-3/4	Top lip down	154 lbs.
RSCE-3060-2-3.6K-TLD-95	60 x 30 x 45	26-3/4	Top lip down	170 lbs.
RSCE-1830-2-3.6K-ALD-95	30 x 18 x 45	26-3/4	All lips down	109 lbs.
RSCE-1836-2-3.6K-ALD-95	36 x 18 x 45	26-3/4	All lips down	115 lbs.
RSCE-2436-2-3.6K-ALD-95	36 x 24 x 45	26-3/4	All lips down	126 lbs.
RSCE-2448-2-3.6K-ALD-95	48 x 24 x 45	26-3/4	All lips down	130 lbs.
RSCE-3048-2-3.6K-ALD-95	48 x 30 x 45	26-3/4	All lips down	154 lbs.
RSCE-3060-2-3.6K-ALD-95	60 x 30 x 45	26-3/4	All lips down	170 lbs.



**Model
RSCE-2448-2-3.6K-ALD-95**

FOB TX

*Handle adds 6" to width

Rolling Service Stock Carts

2 Shelf Stock Carts with Lips Up (1,200 or 3,600 lbs. Capacity)



Model
RSC6-1836-2-95

- 1-1/2" x 1/8" angle iron uprights for added strength
- Heavy duty 14 gauge steel shelves
- 3", 6" or 12" lips up make unit perfect for transporting bulk items
- Sturdy tubular push handle
- Casters: (2) swivel and (2) rigid
- Ships fully assembled
- Durable, textured, gray powder coat finish

Model	Overall Dim: W*xLxH (In.)	Lips Up (In.)	Shelf Clearance	Capacity	Ship Wt.
1,200 lbs. Capacity Models • 5" x 1-1/4" Polyurethane Casters					
RSC3-1830-2-95	18 x 30 x 37-5/8	3	24"	1,200 lbs.	90 lbs.
RSC3-1836-2-95	18 x 36 x 37-5/8	3	24"	1,200 lbs.	96 lbs.
RSC3-2436-2-95	24 x 36 x 37-5/8	3	24"	1,200 lbs.	106 lbs.
RSC6-1830-2-95	18 x 30 x 37-5/8	6	18"	1,200 lbs.	105 lbs.
RSC6-1836-2-95	18 x 36 x 37-5/8	6	18"	1,200 lbs.	112 lbs.
RSC6-2436-2-95	24 x 36 x 37-5/8	6	18"	1,200 lbs.	124 lbs.
RSC12-1830-2-95	18 x 30 x 37-5/8	12	16-7/16"	1,200 lbs.	107 lbs.
3,000 lbs. Capacity Models • 6" x 2" Phenolic Casters					
RSC3-1830-2-3.6K-95	18 x 30 x 39-1/4	3	24"	3,600 lbs.	104 lbs.
RSC3-2436-2-3.6K-95	24 x 36 x 39-1/4	3	24"	3,600 lbs.	120 lbs.
RSC3-2448-2-3.6K-95	24 x 48 x 39-1/4	3	24"	3,600 lbs.	134 lbs.
RSC6-1830-2-3.6K-95	18 x 30 x 39-1/4	6	18"	3,600 lbs.	119 lbs.
RSC6-2436-2-3.6K-95	24 x 36 x 39-1/4	6	18"	3,600 lbs.	138 lbs.
RSC6-2448-2-3.6K-95	24 x 48 x 39-1/4	6	18"	3,600 lbs.	154 lbs.
RSC12-1830-2-3.6K-95	18 x 30 x 39-1/4	12	16-7/16"	3,600 lbs.	121 lbs.
RSC12-2436-2-3.6K-95	24 x 36 x 39-1/4	12	16-7/16"	3,600 lbs.	150 lbs.

FOB TX

*Handle adds 6" to width

2 or 3 Shelf Order Picking Carts (1,200lbs. Capacity)



Model
OPC-2448-2-95

- 1-1/2" x 1/8" angle iron uprights for added strength
- Heavy duty 14 gauge steel shelves
- Perfect for transporting parts and stocking
- Sturdy tubular push handle adds 15" to length
- Writing surface with 1-1/2" lip up to retain paper and pens
- 5 x 1-1/4" Polyurethane casters: (2) swivel and (2) rigid
- Ships fully assembled
- Durable, textured, gray powder coat finish

Model	Overall Dim: W*xLxH (In.)	Shelves	Shelf Clearance	Ship Wt.
OPC-1836-2-95	18 x 36 x 41	2	26-1/2"	78 lbs.
OPC-2436-2-95	24 x 36 x 41	2	26-1/2"	126 lbs.
OPC-2448-2-95	24 x 48 x 41	2	26-1/2"	130 lbs.
OPC-3060-2-95	30 x 60 x 41	2	26-1/2"	158 lbs.
OPC-1836-3-95	18 x 36 x 41	3	12-19/32"	94 lbs.
OPC-2436-3-95	24 x 36 x 41	3	12-19/32"	147 lbs.
OPC-2448-3-95	24 x 48 x 41	3	12-19/32"	157 lbs.
OPC-3060-3-95	30 x 60 x 41	3	12-19/32"	168 lbs.

*Handle adds 12" to width

FOB TX